

Questions on 6.7 HW? HOW WAS THE  
ACT?!?!

\*Choose your own seat\*

SM3H Module 6 - Student Edition.pdf - Adobe Acrobat Reader DC

File Edit View Window Help

Home Tools SM3H Module 6 - ... x

44 / 113 125%

each quadrant that lies on the given circle.

1.  $x^2 + y^2 = 25$  quadrant I (3,4)  
 quadrant II (-3,4) quadrant III (-3,-4)  
 quadrant IV (3,-4)



2.  $x^2 + y^2 = 4$  quadrant I \_\_\_\_\_ quadrant II \_\_\_\_\_  
 quadrant III \_\_\_\_\_ quadrant IV \_\_\_\_\_

3.  $x^2 + y^2 = 36$  quadrant I \_\_\_\_\_ quadrant II \_\_\_\_\_  
 quadrant III \_\_\_\_\_ quadrant IV \_\_\_\_\_

4.  $x^2 + y^2 = 1$  quadrant I \_\_\_\_\_ quadrant II \_\_\_\_\_  
 quadrant III \_\_\_\_\_ quadrant IV \_\_\_\_\_

5.  $x^2 + y^2 = 9$  quadrant I \_\_\_\_\_ quadrant II \_\_\_\_\_  
 quadrant III \_\_\_\_\_ quadrant IV \_\_\_\_\_

Set

©2014 www.flickr.com

8.50 x 11.00 in

SM3H Module 6 - Student Edition.pdf - Adobe Acrobat Reader DC

File Edit View Window Help

Home Tools SM3H Module 6 - ... x

45 / 113 125%

10. B is described by  $(r, s)$  where  $s \approx 46$  and  $r = 37$ .

a. Find  $(x, y)$  to the nearest whole number.  $(35, 12)$

b. Find  $\theta$  by using the formula  $s = \frac{\theta}{360^\circ}(d\pi)$ .

c. Describe point B using  $(r, \theta)$   $(37, 71.2^\circ)$

$r = \sqrt{x^2 + y^2}$   
 $\sin \theta = \frac{y}{r}$   
 $\cos \theta = \frac{x}{r}$

$r \sin \theta = y$   
 $r \cos \theta = x$

b)  $46 = \frac{\theta}{360} (74\pi)$   
 $360 \cdot 46 = \frac{74\pi \cdot \theta}{360} \cdot 360$   
 $\frac{16560}{74\pi} = \frac{74\pi \cdot \theta}{74\pi}$

a)  $x = 37 \cdot \sin 71.2$   
 $x = 35$   
 $y = 37 \cdot \cos 71.2$   
 $y = 11.9 \approx 12$

Mathematics Vision Project | MVP  
 Licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported license

---

Name \_\_\_\_\_ Trigonometric Functions | 6.7

11. B is described by  $(r, \theta)$  where  $\theta \approx 62.26$  and  $r = 72$

8.50 x 11.00 in

SM3H Module 6 - Student Edition.pdf - Adobe Acrobat Reader DC

File Edit View Window Help

Home Tools SM3H Module 6 - ... x

45 / 113 125%

10. B is described by  $(r, s)$  where  $s \approx 46$  and  $r = 37$ .

- Find  $(x, y)$  to the nearest whole number. **(12, 35)**
- Find  $\theta$  by using the formula  $s = \frac{\theta}{360^\circ}(d\pi)$ .
- Describe point B using  $(r, \theta)$  **(37, 71.2^\circ)**

**Handwritten notes:**

- $r = \sqrt{x^2 + y^2}$
- $\sin \theta = \frac{y}{r}$
- $\cos \theta = \frac{x}{r}$
- $r \sin \theta = y$
- $r \cos \theta = x$

**Handwritten calculations:**

b)  $46 = \frac{\theta}{360} (74\pi)$

$$360 \cdot 46 = \frac{74\pi \cdot \theta}{360} \cdot 360$$

$$\frac{16560}{74\pi} = \frac{74\pi \cdot \theta}{74\pi}$$

$71.2^\circ = \theta$

a)  $x = 37 \cdot \cos 71.2$   
 $x = 35$   
 $y = 37 \cdot \sin 71.2$   
 $y = 35$

Mathematics Vision Project | MVP  
 Licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported license

---

Name \_\_\_\_\_ Trigonometric Functions | 6.7

11. B is described by  $(r, \theta)$  where  $\theta \approx 62.26$  and  $r = 72$

# 6.8 "Sine"ing and "Cosine"ing It


## A Solidify Understanding Task

In the previous tasks you have used the similarity of circles, the symmetry of circles, right triangle trigonometry and proportional reasoning to locate stakes on concentric circles. In this task we consider points on the simplest circle of all, the circle with a radius of 1, which is often referred to as "the unit circle."



©2012 www.flickr.com/photos/Kapungo

Here is a portion of a unit circle—the portion that lies in the first quadrant of a coordinate grid. As in the previous task, *Staking It*, this portion of the unit circle has been divided into intervals measuring  $\frac{\pi}{8}$  radians. As in the previous task, find the coordinates of each of the indicated points in the diagram. Also find the arc length,  $s$ , from the point  $(1, 0)$  to the indicated point.



$$s = \frac{\theta}{360^\circ} (2\pi)$$

$$x = r \cdot \cos \theta$$

$$y = r \cdot \sin \theta$$

$$x = 1 \cdot \cos 22.5$$

$$x = 0.92$$

$$y = 1 \cdot \sin 22.5$$

$$y = 0.38$$

$$s = \frac{22.5}{360} (2\pi)$$

$$s \approx 0.39$$

Javier has been wondering if his calculator will allow him to calculate trigonometric values for angles measured in radians, rather than degrees. He feels like this will simplify much of his computational work when trying to locate the coordinates of stakes on the circles that surround the central tower of the archeological site.

After consulting his calculator's manual, he has learned that he can set his calculator in radian mode. After doing so, he is examining the following calculations.

With your calculator set in radian mode, find each of the following values. Record your answers as decimal approximations to the nearest thousandth. *3 decimal places*

$$\sin\left(\frac{\pi}{8}\right) = 0.383$$

$$\cos\left(\frac{\pi}{8}\right) = 0.924$$

$$\frac{\pi}{8} = 0.393$$

$$\sin\left(\frac{\pi}{4}\right) = 0.707$$

$$\cos\left(\frac{\pi}{4}\right) = 0.707$$

$$\frac{\pi}{4} = 0.785$$

$$\sin\left(\frac{3\pi}{8}\right) = 0.924$$

$$\cos\left(\frac{3\pi}{8}\right) = 0.383$$

$$\frac{3\pi}{8} = 1.178$$

$$\sin\left(\frac{\pi}{2}\right) = 1$$

$$\cos\left(\frac{\pi}{2}\right) = 0$$

$$\frac{\pi}{2} = 1.571$$

The coordinates and arc lengths you found for points on the unit circle seem to be showing up in Javier's computations. Why is that so? That is, ...

- explain why the radian measure of an angle on the unit circle is the same as the arc length?
- explain why the sine of an angle measured in radians is the same as the  $y$ -coordinate of a point on the unit circle?

$$y = r \cdot \sin \theta$$

$r = 1$

- explain why the cosine of an angle measured in radians is the same as the  $x$ -coordinate of a point on the unit circle?

$$x = r \cdot \cos \theta$$

$r = 1$

Based on this work, find the following without using a calculator:

$$\sin\left(\frac{5\pi}{8}\right) = 0.924$$

$$\cos\left(\frac{7\pi}{8}\right) = -0.924$$

$$\cos(\pi) = -1$$

Homework

Finish 6.8 "Ready, Set, Go"